

| DL | R N D | Gaining Facility | Eligible To Select | | Gaining Facility TRG % | Losing Facility | Eligible To Lose | Losing Facility Category | MGR Rank | Manager Comments | Staffing Category | Last Name | First Name | Losing Facility Type | Losing Facility Level | PPM | C A P | Notes |
|----|-------------|---------------------|--------------------|----------------------|------------------------------|--------------------|------------------------|--------------------------------|-------------|------------------|----------------------|-----------|------------|-----------------------------|-----------------------------|------|-------------|-------|
| | | | NCEPT Target | Projected Nat Avg | | | | | | | | | | | | | | |
| 3 | 1 | D01 | | | 21.69 | HCF | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Combined Control Facilities | 11 | None | 3 | |
| 3 | 1 | D01 | | | 21.69 | MKE | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 3 | |
| 3 | | D01 | | | 21.69 | MSN | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 3 | |
| 3 | | D01 | | | 21.69 | U90 | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Approach Control | 8 | None | 3 | |
| 3 | | D01 | | | 21.69 | MSN | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 3 | |
| 3 | | D01 | | | 21.69 | DSM | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 3 | |
| 3 | | D01 | | | 21.69 | SJC | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 3 | |
| 3 | | D01 | | | 21.69 | LAN | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 3 | |
| 3 | | D01 | | | 21.69 | DSM | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 3 | |
| 3 | | D01 | | | 21.69 | AMA | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 3 | | D01 | | | 21.69 | AMA | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 3 | | D01 | | | 21.69 | ACT | | Category 2 | 12 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 3 | | D01 | | | 21.69 | CNO | | Category 2 | 13 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 3 | |
| 3 | | D01 | | | 21.69 | CMA | | Category 2 | 14 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 3 | |
| 3 | | D01 | | | 21.69 | CNO | | Category 2 | 15 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 3 | |
| 3 | | D01 | | | 21.69 | STT | | Category 2 | 16 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 3 | |
| 3 | | D01 | | | 21.69 | SJC | | Category 2 | 17 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 3 | |
| 3 | | D01 | | | 21.69 | AMA | | Category 2 | 18 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 3 | | D01 | | | 21.69 | STT | | Category 2 | 19 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 3 | |
| 3 | | D01 | | | 21.69 | PHF | | Category 2 | 20 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 3 | |
| 3 | | D01 | | | 21.69 | RFD | | Category 2 | 21 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 3 | | D01 | | | 21.69 | SPI | | Category 2 | 22 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 3 | | D01 | | | 21.69 | SPI | | Category 2 | 23 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 3 | | D01 | | | 21.69 | SPI | | Category 2 | 24 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 3 | | D01 | | | 21.69 | CID | | Category 2 | 25 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 3 | | D01 | | | 21.69 | CID | | Category 2 | 26 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 3 | | D01 | | | 21.69 | CID | | Category 2 | 27 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 4 | 1 | ANC | | | 25.00 | SJC | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 4 | 1 | ANC | | | 25.00 | PDX | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 2 | |
| 5 | 2 | DTW | | | 9.09 | FNT | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 5 | | DTW | | | 9.09 | ELM | | Category 2 | 2 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 5 | | DTW | | | 9.09 | FNT | | Category 2 | 3 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 5 | | DTW | | | 9.09 | SPI | | Category 2 | 4 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 5 | | DTW | | | 9.09 | FNT | | Category 2 | 5 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 5 | | DTW | | | 9.09 | POU | | Category 2 | 6 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 6 | 1 | SCT | | | 16.96 | SEA | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 10 | None | 5 | |
| 6 | 1 | SCT | | | 16.96 | ZKC | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 5 | |
| 6 | 1 | SCT | | | 16.96 | ZKC | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 5 | |
| 6 | 1 | SCT | | | 16.96 | ZLC | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 10 | None | 5 | |
| 6 | 1 | SCT | | | 16.96 | LGB | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 5 | |
| 6 | | SCT | | | 16.96 | GSO | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 5 | |
| 6 | | SCT | | | 16.96 | LAX | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower | 12 | None | 5 | |
| 6 | | SCT | | | 16.96 | SPI | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 6 | | SCT | | | 16.96 | SJC | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 5 | |
| 6 | | SCT | | | 16.96 | SEE | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 5 | |

| DL | R N D | Gaining Facility | Eligible To Select | | Gaining Facility TRG % | Losing Facility | Eligible To Lose | Losing Facility Category | MGR Rank | Manager Comments | Staffing Category | Last Name | First Name | Losing Facility Type | Losing Facility Level | PPM | C A P | Notes |
|----|-------------|---------------------|--------------------|----------------------|------------------------------|--------------------|------------------------|--------------------------------|-------------|------------------|----------------------|-----------|------------|-----------------------------|-----------------------------|------|-------------|-------|
| | | | NCEPT Target | Projected Nat Avg | | | | | | | | | | | | | | |
| 6 | | SCT | | | 16.96 | SEE | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 5 | |
| 6 | | SCT | | | 16.96 | SEE | | Category 2 | 12 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 5 | |
| 6 | | SCT | | | 16.96 | SJC | | Category 2 | 13 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 5 | |
| 6 | | SCT | | | 16.96 | HCF | | Category 2 | 14 | | CPC | (b) (6) | (b) (6) | Combined Control Facilities | 11 | None | 5 | |
| 6 | | SCT | | | 16.96 | SJC | | Category 2 | 15 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 5 | |
| 6 | | SCT | | | 16.96 | POC | | Category 2 | 16 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 5 | |
| 6 | | SCT | | | 16.96 | TOA | | Category 2 | 18 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 5 | |
| 6 | | SCT | | | 16.96 | FXE | | Category 2 | 19 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 5 | |
| 6 | | SCT | | | 16.96 | CMA | | Category 2 | 20 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 5 | |
| 6 | | SCT | | | 16.96 | HWD | | Category 2 | 21 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 5 | |
| 6 | | SCT | | | 16.96 | STT | | Category 2 | 22 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 5 | |
| 6 | | SCT | | | 16.96 | STT | | Category 2 | 23 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 5 | |
| 6 | | SCT | | | 16.96 | LAN | | Category 2 | 24 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 5 | |
| 6 | | SCT | | | 16.96 | PSP | | Category 2 | 25 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 5 | |
| 6 | | SCT | | | 16.96 | LGB | | Category 2 | 26 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 5 | |
| 6 | | SCT | | | 16.96 | SAN | | Category 2 | 27 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 5 | |
| 6 | | SCT | | | 16.96 | ELM | | Category 2 | 28 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 6 | | SCT | | | 16.96 | LAX | | Category 2 | 29 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 12 | None | 5 | |
| 6 | | SCT | | | 16.96 | ELM | | Category 2 | 30 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 6 | | SCT | | | 16.96 | MSN | | Category 2 | 31 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 5 | |
| 7 | 1 | ATL | | | 10.64 | DSM | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 7 | 1 | ATL | | | 10.64 | LNK | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 7 | | ATL | | | 10.64 | MKE | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 2 | |
| 7 | | ATL | | | 10.64 | PIE | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 7 | | ATL | | | 10.64 | LAN | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 7 | | ATL | | | 10.64 | BTV | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 7 | | ATL | | | 10.64 | SAN | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 2 | |
| 7 | | ATL | | | 10.64 | MYR | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 2 | |
| 7 | | ATL | | | 10.64 | LOU | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 7 | | ATL | | | 10.64 | CMA | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 7 | | ATL | | | 10.64 | STT | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 7 | | ATL | | | 10.64 | CID | | Category 2 | 12 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 7 | | ATL | | | 10.64 | FXE | | Category 2 | 13 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 7 | | ATL | | | 10.64 | LAN | | Category 2 | 14 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 7 | | ATL | | | 10.64 | LAN | | Category 2 | 15 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 7 | | ATL | | | 10.64 | EUG | | Category 2 | 16 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 7 | | ATL | | | 10.64 | AZO | | Category 2 | 17 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 7 | | ATL | | | 10.64 | CHS | | Category 2 | 18 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 2 | |
| 7 | | ATL | | | 10.64 | MLI | | Category 2 | 19 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 7 | | ATL | | | 10.64 | ISP | | Category 2 | 20 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 7 | | ATL | | | 10.64 | MKG | | Category 2 | 21 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 7 | | ATL | | | 10.64 | ADW | | Category 2 | 22 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 7 | | ATL | | | 10.64 | MBS | | Category 2 | 23 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 7 | | ATL | | | 10.64 | EUG | | Category 2 | 24 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 7 | | ATL | | | 10.64 | ADW | | Category 2 | 25 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |

| DL | R N D | Gaining Facility | Eligible To Select | | Gaining Facility TRG % | Losing Facility | Eligible To Lose | Losing Facility Category | MGR Rank | Manager Comments | Staffing Category | Last Name | First Name | Losing Facility Type | Losing Facility Level | PPM | C A P | Notes |
|----|-------------|---------------------|--------------------|----------------------|------------------------------|--------------------|------------------------|--------------------------------|-------------|------------------|----------------------|-----------|------------|----------------------------|-----------------------------|------|-------------|-------|
| | | | NCEPT Target | Projected Nat Avg | | | | | | | | | | | | | | |
| 7 | | ATL | | | 10.64 | LGB | | Category 2 | 26 | | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 2 | |
| 7 | | ATL | | | 10.64 | FXE | | Category 2 | 27 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 7 | | ATL | | | 10.64 | PDK | | Category 2 | 28 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 9 | 2 | SEA | | | 11.11 | PAE | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 9 | 2 | SEA | | | 11.11 | FPR | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 9 | | SEA | | | 11.11 | FPR | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 9 | | SEA | | | 11.11 | CNO | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 9 | | SEA | | | 11.11 | ELM | | Category 2 | 5 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 9 | | SEA | | | 11.11 | PAE | | Category 2 | 6 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 10 | 1 | PUB | | | 33.33 | LGB | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 2 | |
| 10 | 1 | PUB | | | 33.33 | LOU | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 10 | | PUB | | | 33.33 | SPI | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 11 | 1 | A80 | | | 22.64 | MLI | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 4 | |
| 11 | | A80 | | | 22.64 | MKE | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 4 | |
| 11 | 1 | A80 | | | 22.64 | AMA | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 4 | |
| 11 | 1 | A80 | | | 22.64 | ELM | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 4 | |
| 11 | 1 | A80 | | | 22.64 | ELM | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 4 | |
| 11 | | A80 | | | 22.64 | ARR | | Category 2 | 6 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 4 | |
| 11 | | A80 | | | 22.64 | SJC | | Category 2 | 7 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 4 | |
| 11 | | A80 | | | 22.64 | CMA | | Category 2 | 8 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 4 | |
| 11 | | A80 | | | 22.64 | MKG | | Category 2 | 9 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 4 | |
| 11 | | A80 | | | 22.64 | LAN | | Category 2 | 10 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 4 | |
| 12 | 1 | FLL | | | 16.00 | FXE | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 12 | | FLL | | | 16.00 | LNK | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 12 | 1 | FLL | | | 16.00 | GSO | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 12 | | FLL | | | 16.00 | OMA | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 12 | | FLL | | | 16.00 | FPR | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 12 | | FLL | | | 16.00 | RNO | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 12 | | FLL | | | 16.00 | FXE | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 12 | | FLL | | | 16.00 | FXE | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 12 | | FLL | | | 16.00 | LOU | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 12 | | FLL | | | 16.00 | ORL | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 12 | | FLL | | | 16.00 | OMA | | Category 2 | 12 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 12 | | FLL | | | 16.00 | OMA | | Category 2 | 13 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 12 | | FLL | | | 16.00 | PNS | | Category 2 | 14 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 12 | | FLL | | | 16.00 | HWD | | Category 2 | 15 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 12 | | FLL | | | 16.00 | DPA | | Category 2 | 16 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 12 | | FLL | | | 16.00 | FNT | | Category 2 | 17 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 12 | | FLL | | | 16.00 | FNT | | Category 2 | 18 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 12 | | FLL | | | 16.00 | PHF | | Category 2 | 19 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 12 | | FLL | | | 16.00 | ERI | | Category 2 | 20 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 12 | | FLL | | | 16.00 | POU | | Category 2 | 21 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 12 | | FLL | | | 16.00 | FLO | | Category 2 | 22 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 12 | | FLL | | | 16.00 | ILG | | Category 2 | 23 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 12 | | FLL | | | 16.00 | STT | | Category 2 | 24 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |

| DL | R N D | Gaining Facility | Eligible To Select | | Gaining Facility TRG % | Losing Facility | Eligible To Lose | Losing Facility Category | MGR Rank | Manager Comments | Staffing Category | Last Name | First Name | Losing Facility Type | Losing Facility Level | PPM | C A P | Notes |
|----|-------------|---------------------|--------------------|----------------------|------------------------------|--------------------|------------------------|--------------------------------|-------------|------------------|----------------------|-----------|------------|----------------------------|-----------------------------|------|-------------|-------|
| | | | NCEPT Target | Projected Nat Avg | | | | | | | | | | | | | | |
| 12 | | FLL | | | 16.00 | FLO | | Category 2 | 25 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 12 | | FLL | | | 16.00 | TWF | | Category 2 | 26 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 12 | | FLL | | | 16.00 | STT | | Category 2 | 27 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 13 | 1 | BOS | | | 25.00 | BDL | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 13 | | BOS | | | 25.00 | MSN | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 13 | | BOS | | | 25.00 | LAX | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 12 | None | 2 | |
| 13 | | BOS | | | 25.00 | LAX | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 12 | None | 2 | |
| 13 | | BOS | | | 25.00 | DVT | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower | 9 | None | 2 | |
| 13 | | BOS | | | 25.00 | DPA | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 13 | | BOS | | | 25.00 | SYR | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 13 | | BOS | | | 25.00 | MHT | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 13 | | BOS | | | 25.00 | BDL | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 13 | | BOS | | | 25.00 | CID | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 13 | | BOS | | | 25.00 | DAL | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 2 | |
| 13 | | BOS | | | 25.00 | ISP | | Category 2 | 12 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 13 | | BOS | | | 25.00 | LNK | | Category 2 | 13 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 13 | | BOS | | | 25.00 | ZLC | | Category 2 | 14 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 10 | None | 2 | |
| 13 | | BOS | | | 25.00 | CDW | | Category 2 | 15 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 13 | | BOS | | | 25.00 | PNS | | Category 2 | 16 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 13 | | BOS | | | 25.00 | CHS | | Category 2 | 17 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 2 | |
| 13 | | BOS | | | 25.00 | LBB | | Category 2 | 18 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 13 | | BOS | | | 25.00 | SPI | | Category 2 | 19 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 13 | | BOS | | | 25.00 | ELM | | Category 2 | 20 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 14 | 2 | CLT | | | 11.70 | PHF | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 3 | |
| 14 | | CLT | | | 11.70 | CLE | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 3 | |
| 14 | 2 | CLT | | | 11.70 | GSP | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 3 | |
| 14 | 2 | CLT | | | 11.70 | SYR | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 14 | | CLT | | | 11.70 | PIE | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 3 | |
| 14 | | CLT | | | 11.70 | SYR | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 14 | | CLT | | | 11.70 | FXE | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 3 | |
| 14 | | CLT | | | 11.70 | ELM | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 14 | | CLT | | | 11.70 | ELM | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 14 | | CLT | | | 11.70 | TWF | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 14 | | CLT | | | 11.70 | ELM | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 14 | | CLT | | | 11.70 | CNO | | Category 2 | 12 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 3 | |
| 14 | | CLT | | | 11.70 | POU | | Category 2 | 13 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 3 | |
| 14 | | CLT | | | 11.70 | SPI | | Category 2 | 14 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 15 | 1 | STL | | | 27.27 | LOU | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 15 | 1 | STL | | | 27.27 | SPI | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 15 | | STL | | | 27.27 | CNO | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 15 | | STL | | | 27.27 | OMA | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 15 | | STL | | | 27.27 | ELM | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 15 | | STL | | | 27.27 | MKG | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 15 | | STL | | | 27.27 | MLI | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 15 | | STL | | | 27.27 | SPI | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |

| DL | R N D | Gaining Facility | Eligible To Select | | Gaining Facility TRG % | Losing Facility | Eligible To Lose | Losing Facility Category | MGR Rank | Manager Comments | Staffing Category | Last Name | First Name | Losing Facility Type | Losing Facility Level | PPM | C A P | Notes |
|----|-------------|---------------------|--------------------|----------------------|------------------------------|--------------------|------------------------|--------------------------------|-------------|------------------|----------------------|-----------|------------|-----------------------------|-----------------------------|------|-------------|-------|
| | | | NCEPT Target | Projected Nat Avg | | | | | | | | | | | | | | |
| 15 | | STL | | | 27.27 | CPS | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 15 | | STL | | | 27.27 | SPI | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 17 | | MEM | | | 18.52 | CNO | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 17 | 1 | MEM | | | 18.52 | SPI | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 17 | | MEM | | | 18.52 | MLI | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 17 | | MEM | | | 18.52 | ILG | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 17 | | MEM | | | 18.52 | LOU | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 17 | | MEM | | | 18.52 | ELM | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 18 | 1 | NCT | | | 26.09 | ZMP | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 4 | |
| 18 | 1 | NCT | | | 26.09 | ZHU | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 4 | |
| 18 | 1 | NCT | | | 26.09 | ZHU | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 4 | |
| 18 | | NCT | | | 26.09 | GSO | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 4 | |
| 18 | | NCT | | | 26.09 | HCF | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Combined Control Facilities | 11 | None | 4 | |
| 18 | | NCT | | | 26.09 | ZKC | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 4 | |
| 18 | | NCT | | | 26.09 | MSN | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 4 | |
| 18 | | NCT | | | 26.09 | PSC | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 4 | |
| 18 | | NCT | | | 26.09 | SJC | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 4 | |
| 18 | | NCT | | | 26.09 | SJC | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 4 | |
| 18 | | NCT | | | 26.09 | OGG | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 4 | |
| 18 | | NCT | | | 26.09 | FXE | | Category 2 | 12 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 4 | |
| 18 | | NCT | | | 26.09 | ELM | | Category 2 | 13 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 4 | |
| 18 | | NCT | | | 26.09 | HWD | | Category 2 | 14 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 4 | |
| 18 | | NCT | | | 26.09 | CMA | | Category 2 | 15 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 4 | |
| 18 | | NCT | | | 26.09 | RNO | | Category 2 | 16 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 4 | |
| 18 | | NCT | | | 26.09 | PHF | | Category 2 | 17 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 4 | |
| 18 | | NCT | | | 26.09 | HUF | | Category 2 | 18 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 4 | |
| 18 | | NCT | | | 26.09 | LAN | | Category 2 | 19 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 4 | |
| 18 | | NCT | | | 26.09 | STT | | Category 2 | 20 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 4 | |
| 18 | | NCT | | | 26.09 | CID | | Category 2 | 21 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 4 | |
| 18 | | NCT | | | 26.09 | SEA | | Category 2 | 22 | | CPC | (b) (6) | (b) (6) | Tower | 10 | None | 4 | |
| 19 | 1 | DEN | | | 27.03 | LAX | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 12 | None | 2 | |
| 19 | 1 | DEN | | | 27.03 | LAX | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower | 12 | None | 2 | |
| 19 | | DEN | | | 27.03 | SEA | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 10 | None | 2 | |
| 19 | | DEN | | | 27.03 | FPR | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 19 | | DEN | | | 27.03 | FPR | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 19 | | DEN | | | 27.03 | SEA | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower | 10 | None | 2 | |
| 19 | | DEN | | | 27.03 | DVT | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower | 9 | None | 2 | |
| 19 | | DEN | | | 27.03 | PDX | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 2 | |
| 19 | | DEN | | | 27.03 | MKE | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 2 | |
| 19 | | DEN | | | 27.03 | MCI | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 2 | |
| 19 | | DEN | | | 27.03 | DSM | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 19 | | DEN | | | 27.03 | SJC | | Category 2 | 12 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 19 | | DEN | | | 27.03 | LIT | | Category 2 | 13 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 19 | | DEN | | | 27.03 | BFI | | Category 2 | 14 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 19 | | DEN | | | 27.03 | DSM | | Category 2 | 15 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |

| DL | R N D | Gaining Facility | Eligible To Select | | Gaining Facility TRG % | Losing Facility | Eligible To Lose | Losing Facility Category | MGR Rank | Manager Comments | Staffing Category | Last Name | First Name | Losing Facility Type | Losing Facility Level | PPM | C A P | Notes |
|----|-------------|---------------------|--------------------|----------------------|------------------------------|--------------------|------------------------|--------------------------------|-------------|------------------|----------------------|-----------|------------|-----------------------------|-----------------------------|------|-------------|-------|
| | | | NCEPT Target | Projected Nat Avg | | | | | | | | | | | | | | |
| 19 | | DEN | | | 27.03 | CAK | | Category 2 | 16 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 19 | | DEN | | | 27.03 | MSN | | Category 2 | 17 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 19 | | DEN | | | 27.03 | MSN | | Category 2 | 18 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 19 | | DEN | | | 27.03 | GEG | | Category 2 | 19 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 19 | | DEN | | | 27.03 | HCF | | Category 2 | 20 | (b) (5) | CPC | (b) (6) | (b) (6) | Combined Control Facilities | 11 | None | 2 | |
| 19 | | DEN | | | 27.03 | CMA | | Category 2 | 21 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 19 | | DEN | | | 27.03 | SYR | | Category 2 | 22 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 19 | | DEN | | | 27.03 | RFD | | Category 2 | 23 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 19 | | DEN | | | 27.03 | CMA | | Category 2 | 24 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 19 | | DEN | | | 27.03 | AMA | | Category 2 | 25 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 19 | | DEN | | | 27.03 | ISP | | Category 2 | 26 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 19 | | DEN | | | 27.03 | ACT | | Category 2 | 27 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 19 | | DEN | | | 27.03 | AMA | | Category 2 | 28 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 19 | | DEN | | | 27.03 | EUG | | Category 2 | 29 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 19 | | DEN | | | 27.03 | EUG | | Category 2 | 30 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 19 | | DEN | | | 27.03 | ACT | | Category 2 | 31 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 19 | | DEN | | | 27.03 | CID | | Category 2 | 32 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 19 | | DEN | | | 27.03 | SPI | | Category 2 | 33 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 19 | | DEN | | | 27.03 | CDW | | Category 2 | 34 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 19 | | DEN | | | 27.03 | PHF | | Category 2 | 35 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 19 | | DEN | | | 27.03 | CID | | Category 2 | 36 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 19 | | DEN | | | 27.03 | SPI | | Category 2 | 37 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 19 | | DEN | | | 27.03 | FWA | | Category 2 | 38 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 19 | | DEN | | | 27.03 | ELM | | Category 2 | 39 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 19 | | DEN | | | 27.03 | LOU | | Category 2 | 40 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 19 | | DEN | | | 27.03 | EVV | | Category 2 | 41 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 19 | | DEN | | | 27.03 | BDL | | Category 2 | 42 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 19 | | DEN | | | 27.03 | MKG | | Category 2 | 43 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 19 | | DEN | | | 27.03 | STT | | Category 2 | 44 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 19 | | DEN | | | 27.03 | STT | | Category 2 | 45 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 19 | | DEN | | | 27.03 | MBS | | Category 2 | 46 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 19 | | DEN | | | 27.03 | POU | | Category 2 | 47 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 20 | 1 | JCF | | | 30.43 | GSO | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 20 | 1 | JCF | | | 30.43 | ELM | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 20 | | JCF | | | 30.43 | GCN | | Category 2 | 3 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 21 | | SAN | | | 8.00 | ELM | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 21 | 2 | SAN | | | 8.00 | SEE | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 21 | | SAN | | | 8.00 | SPI | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 21 | | SAN | | | 8.00 | AFW | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 21 | | SAN | | | 8.00 | FPR | | Category 2 | 5 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 22 | 1 | LAS | | | 31.58 | LAX | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 12 | None | 2 | |
| 22 | 1 | LAS | | | 31.58 | HCF | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Combined Control Facilities | 11 | None | 2 | |
| 22 | | LAS | | | 31.58 | MOB | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 2 | |
| 22 | | LAS | | | 31.58 | CHS | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 2 | |
| 22 | | LAS | | | 31.58 | ZJX | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 2 | |

| DL | R N D | Gaining Facility | Eligible To Select | | Gaining Facility TRG % | Losing Facility | Eligible To Lose | Losing Facility Category | MGR Rank | Manager Comments | Staffing Category | Last Name | First Name | Losing Facility Type | Losing Facility Level | PPM | C A P | Notes |
|----|-------------|---------------------|--------------------|----------------------|------------------------------|--------------------|------------------------|--------------------------------|-------------|------------------|----------------------|-----------|------------|----------------------------|-----------------------------|------|-------------|-------|
| | | | NCEPT Target | Projected Nat Avg | | | | | | | | | | | | | | |
| 22 | | LAS | | | 31.58 | BFI | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 22 | | LAS | | | 31.58 | BFI | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 22 | | LAS | | | 31.58 | PIE | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 22 | | LAS | | | 31.58 | VGT | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 22 | | LAS | | | 31.58 | VGT | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 22 | | LAS | | | 31.58 | CNO | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 22 | | LAS | | | 31.58 | HUF | | Category 2 | 12 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 22 | | LAS | | | 31.58 | TOA | | Category 2 | 13 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 22 | | LAS | | | 31.58 | MSN | | Category 2 | 14 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 22 | | LAS | | | 31.58 | FPR | | Category 2 | 15 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 22 | | LAS | | | 31.58 | DSM | | Category 2 | 16 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 22 | | LAS | | | 31.58 | CAK | | Category 2 | 17 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 22 | | LAS | | | 31.58 | LAN | | Category 2 | 18 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 22 | | LAS | | | 31.58 | CMA | | Category 2 | 19 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 22 | | LAS | | | 31.58 | EVV | | Category 2 | 20 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 22 | | LAS | | | 31.58 | AFW | | Category 2 | 21 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 22 | | LAS | | | 31.58 | EUG | | Category 2 | 22 | | DEV2 | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 22 | | LAS | | | 31.58 | OMA | | Category 2 | 23 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 22 | | LAS | | | 31.58 | STT | | Category 2 | 24 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 22 | | LAS | | | 31.58 | PRC | | Category 2 | 25 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 22 | | LAS | | | 31.58 | SPI | | Category 2 | 26 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 22 | | LAS | | | 31.58 | RNO | | Category 2 | 27 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 22 | | LAS | | | 31.58 | RNO | | Category 2 | 28 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 22 | | LAS | | | 31.58 | FWA | | Category 2 | 29 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 22 | | LAS | | | 31.58 | PSP | | Category 2 | 30 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 22 | | LAS | | | 31.58 | RNO | | Category 2 | 31 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 22 | | LAS | | | 31.58 | HTS | | Category 2 | 32 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 22 | | LAS | | | 31.58 | RNO | | Category 2 | 33 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 22 | | LAS | | | 31.58 | SPI | | Category 2 | 34 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 22 | | LAS | | | 31.58 | ELM | | Category 2 | 35 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 22 | | LAS | | | 31.58 | ELM | | Category 2 | 36 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 22 | | LAS | | | 31.58 | GCN | | Category 2 | 37 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 22 | | LAS | | | 31.58 | CID | | Category 2 | 38 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 22 | | LAS | | | 31.58 | GCN | | Category 2 | 39 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 22 | | LAS | | | 31.58 | LOU | | Category 2 | 40 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 23 | 1 | A90 | | | 18.67 | ZKC | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 3 | |
| 23 | | A90 | | | 18.67 | SYR | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 23 | | A90 | | | 18.67 | ELM | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 23 | 1 | A90 | | | 18.67 | BDL | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 3 | |
| 23 | | A90 | | | 18.67 | EVV | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 23 | | A90 | | | 18.67 | CID | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 23 | | A90 | | | 18.67 | ZLC | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 10 | None | 3 | |
| 23 | | A90 | | | 18.67 | MSN | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 3 | |
| 23 | | A90 | | | 18.67 | CHS | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 3 | |
| 23 | | A90 | | | 18.67 | ELM | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |

| DL | R N D | Gaining Facility | Eligible To Select | | Gaining Facility TRG % | Losing Facility | Eligible To Lose | Losing Facility Category | MGR Rank | Manager Comments | Staffing Category | Last Name | First Name | Losing Facility Type | Losing Facility Level | PPM | C A P | Notes |
|----|-------------|---------------------|--------------------|----------------------|------------------------------|--------------------|------------------------|--------------------------------|-------------|------------------|----------------------|-----------|------------|-----------------------------|-----------------------------|------|-------------|-------|
| | | | NCEPT Target | Projected Nat Avg | | | | | | | | | | | | | | |
| 23 | | A90 | | | 18.67 | SPI | | Category 2 | 11 | | CPC | (b) (6) | | Tower and Approach Control | 5 | None | 3 | |
| 23 | | A90 | | | 18.67 | CHS | | Category 2 | 12 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 3 | |
| 23 | | A90 | | | 18.67 | SPI | | Category 2 | 13 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 23 | | A90 | | | 18.67 | LAX | | Category 2 | 14 | | CPC | (b) (6) | (b) (6) | Tower | 12 | None | 3 | |
| 23 | | A90 | | | 18.67 | LAX | | Category 2 | 15 | | CPC | (b) (6) | (b) (6) | Tower | 12 | None | 3 | |
| 23 | | A90 | | | 18.67 | DVT | | Category 2 | 16 | | CPC | (b) (6) | (b) (6) | Tower | 9 | None | 3 | |
| 23 | | A90 | | | 18.67 | LAN | | Category 2 | 17 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 3 | |
| 23 | | A90 | | | 18.67 | CMA | | Category 2 | 18 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 3 | |
| 23 | | A90 | | | 18.67 | CDW | | Category 2 | 19 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 3 | |
| 23 | | A90 | | | 18.67 | BDL | | Category 2 | 20 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 3 | |
| 23 | | A90 | | | 18.67 | ELM | | Category 2 | 21 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 26 | 1 | I90 | | | 18.75 | PCT | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Approach Control | 12 | None | 3 | |
| 26 | | I90 | | | 18.75 | CRP | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 9 | None | 3 | |
| 26 | | I90 | | | 18.75 | CRP | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 9 | None | 3 | |
| 26 | | I90 | | | 18.75 | ZKC | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 3 | |
| 26 | | I90 | | | 18.75 | U90 | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Approach Control | 8 | None | 3 | |
| 26 | | I90 | | | 18.75 | T75 | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Approach Control | 9 | None | 3 | |
| 26 | | I90 | | | 18.75 | MCO | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower | 9 | None | 3 | |
| 26 | | I90 | | | 18.75 | HOU | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 3 | |
| 26 | | I90 | | | 18.75 | HCF | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Combined Control Facilities | 11 | None | 3 | |
| 26 | | I90 | | | 18.75 | EUG | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 26 | | I90 | | | 18.75 | ACT | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 26 | | I90 | | | 18.75 | ACT | | Category 2 | 12 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 26 | | I90 | | | 18.75 | CMA | | Category 2 | 13 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 3 | |
| 26 | | I90 | | | 18.75 | AMA | | Category 2 | 14 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 26 | | I90 | | | 18.75 | LAN | | Category 2 | 15 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 3 | |
| 26 | | I90 | | | 18.75 | RFD | | Category 2 | 16 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 26 | | I90 | | | 18.75 | BTV | | Category 2 | 17 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 26 | | I90 | | | 18.75 | CID | | Category 2 | 18 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 26 | | I90 | | | 18.75 | CID | | Category 2 | 19 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 26 | | I90 | | | 18.75 | CDW | | Category 2 | 20 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 3 | |
| 26 | | I90 | | | 18.75 | ELM | | Category 2 | 21 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 26 | | I90 | | | 18.75 | ELM | | Category 2 | 22 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 26 | | I90 | | | 18.75 | EUG | | Category 2 | 23 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 26 | | I90 | | | 18.75 | LIT | | Category 2 | 24 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 3 | |
| 26 | | I90 | | | 18.75 | BPT | | Category 2 | 25 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 3 | |
| 26 | | I90 | | | 18.75 | BPT | | Category 2 | 26 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 3 | |
| 26 | | I90 | | | 18.75 | LBB | | Category 2 | 27 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 3 | |
| 26 | | I90 | | | 18.75 | FXE | | Category 2 | 28 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 3 | |
| 27 | 1 | BOI | | | 22.58 | PSC | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 27 | 1 | BOI | | | 22.58 | EVV | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 27 | | BOI | | | 22.58 | OGG | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 27 | | BOI | | | 22.58 | EUG | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 27 | | BOI | | | 22.58 | SCK | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 27 | | BOI | | | 22.58 | LOU | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |

| DL | R N D | Gaining Facility | Eligible To Select | | Gaining Facility TRG % | Losing Facility | Eligible To Lose | Losing Facility Category | MGR Rank | Manager Comments | Staffing Category | Last Name | First Name | Losing Facility Type | Losing Facility Level | PPM | C A P | Notes |
|----|-------------|---------------------|--------------------|----------------------|------------------------------|--------------------|------------------------|--------------------------------|-------------|------------------|----------------------|-----------|------------|----------------------------|-----------------------------|------|-------------|-------|
| | | | NCEPT Target | Projected Nat Avg | | | | | | | | | | | | | | |
| 27 | | BOI | | | 22.58 | PSC | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 27 | | BOI | | | 22.58 | RFD | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 27 | | BOI | | | 22.58 | FCM | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 27 | | BOI | | | 22.58 | ACT | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 27 | | BOI | | | 22.58 | SPI | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 27 | | BOI | | | 22.58 | SPI | | Category 2 | 12 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 27 | | BOI | | | 22.58 | CNO | | Category 2 | 13 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 27 | | BOI | | | 22.58 | CNO | | Category 2 | 14 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 27 | | BOI | | | 22.58 | CNO | | Category 2 | 15 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 27 | | BOI | | | 22.58 | SYR | | Category 2 | 16 | | DEV2 | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 27 | | BOI | | | 22.58 | ELM | | Category 2 | 17 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 29 | 1 | IAH | | | 20.59 | HOU | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 2 | |
| 29 | | IAH | | | 20.59 | SEA | | Category 2 | 2 | | TMC | (b) (6) | (b) (6) | Tower | 10 | None | 2 | |
| 29 | | IAH | | | 20.59 | CRP | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 9 | None | 2 | |
| 29 | | IAH | | | 20.59 | DAL | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 2 | |
| 29 | | IAH | | | 20.59 | LAX | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower | 12 | None | 2 | |
| 29 | | IAH | | | 20.59 | HOU | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 2 | |
| 29 | | IAH | | | 20.59 | DWH | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 29 | | IAH | | | 20.59 | DWH | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 29 | | IAH | | | 20.59 | FPR | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 29 | | IAH | | | 20.59 | LNK | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 29 | | IAH | | | 20.59 | ELM | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 29 | | IAH | | | 20.59 | LOU | | Category 2 | 12 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 29 | | IAH | | | 20.59 | SJC | | Category 2 | 13 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 29 | | IAH | | | 20.59 | FXE | | Category 2 | 14 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 29 | | IAH | | | 20.59 | CAK | | Category 2 | 15 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 29 | | IAH | | | 20.59 | LBB | | Category 2 | 16 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 29 | | IAH | | | 20.59 | CHS | | Category 2 | 17 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 2 | |
| 29 | | IAH | | | 20.59 | FPR | | Category 2 | 18 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 29 | | IAH | | | 20.59 | TWF | | Category 2 | 19 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 29 | | IAH | | | 20.59 | DWH | | Category 2 | 20 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 29 | | IAH | | | 20.59 | LNK | | Category 2 | 21 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 29 | | IAH | | | 20.59 | ACT | | Category 2 | 22 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 29 | | IAH | | | 20.59 | LOU | | Category 2 | 23 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 29 | | IAH | | | 20.59 | ACT | | Category 2 | 24 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 29 | | IAH | | | 20.59 | ACT | | Category 2 | 25 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 29 | | IAH | | | 20.59 | AMA | | Category 2 | 26 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 29 | | IAH | | | 20.59 | SPI | | Category 2 | 27 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 29 | | IAH | | | 20.59 | ACT | | Category 2 | 28 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 29 | | IAH | | | 20.59 | ACT | | Category 2 | 29 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 29 | | IAH | | | 20.59 | FNT | | Category 2 | 30 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 29 | | IAH | | | 20.59 | RNO | | Category 2 | 31 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 29 | | IAH | | | 20.59 | VGT | | Category 2 | 32 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 29 | | IAH | | | 20.59 | MKG | | Category 2 | 33 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 29 | | IAH | | | 20.59 | MBS | | Category 2 | 34 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |

| DL | R N D | Gaining Facility | Eligible To Select | | Gaining Facility TRG % | Losing Facility | Eligible To Lose | Losing Facility Category | MGR Rank | Manager Comments | Staffing Category | Last Name | First Name | Losing Facility Type | Losing Facility Level | PPM | C A P | Notes |
|----|-------------|---------------------|--------------------|----------------------|------------------------------|--------------------|------------------------|--------------------------------|-------------|------------------|----------------------|-----------|------------|-----------------------------|-----------------------------|------|-------------|-------|
| | | | NCEPT Target | Projected Nat Avg | | | | | | | | | | | | | | |
| 29 | | IAH | | | 20.59 | BDL | | Category 2 | 35 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 29 | | IAH | | | 20.59 | AMA | | Category 2 | 36 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 29 | | IAH | | | 20.59 | TWF | | Category 2 | 37 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 29 | | IAH | | | 20.59 | EVV | | Category 2 | 38 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 29 | | IAH | | | 20.59 | HCF | | Category 2 | 39 | | CPC | (b) (6) | (b) (6) | Combined Control Facilities | 11 | None | 2 | |
| 29 | | IAH | | | 20.59 | GCN | | Category 2 | 40 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 29 | | IAH | | | 20.59 | EUG | | Category 2 | 41 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 29 | | IAH | | | 20.59 | ACT | | Category 2 | 42 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 29 | | IAH | | | 20.59 | CDW | | Category 2 | 43 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 29 | | IAH | | | 20.59 | HTS | | Category 2 | 44 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 29 | | IAH | | | 20.59 | ISP | | Category 2 | 45 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 29 | | IAH | | | 20.59 | RFD | | Category 2 | 46 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 29 | | IAH | | | 20.59 | BTV | | Category 2 | 47 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 29 | | IAH | | | 20.59 | CMA | | Category 2 | 48 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 29 | | IAH | | | 20.59 | HOU | | Category 2 | 49 | | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 2 | |
| 29 | | IAH | | | 20.59 | AFW | | Category 2 | 50 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 29 | | IAH | | | 20.59 | CID | | Category 2 | 51 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 29 | | IAH | | | 20.59 | SPI | | Category 2 | 52 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 29 | | IAH | | | 20.59 | ELM | | Category 2 | 53 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 29 | | IAH | | | 20.59 | HOU | | Category 2 | 54 | | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 2 | |
| 29 | | IAH | | | 20.59 | DWH | | Category 2 | 55 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 29 | | IAH | | | 20.59 | FNT | | Category 2 | 56 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 29 | | IAH | | | 20.59 | EUG | | Category 2 | 57 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 29 | | IAH | | | 20.59 | EUG | | Category 2 | 58 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 29 | | IAH | | | 20.59 | LAX | | Category 2 | 59 | | CPC | (b) (6) | (b) (6) | Tower | 12 | None | 2 | |
| 29 | | IAH | | | 20.59 | PNS | | Category 2 | 60 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 29 | | IAH | | | 20.59 | BPT | | Category 2 | 61 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 29 | | IAH | | | 20.59 | SAN | | Category 2 | 62 | | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 2 | |
| 29 | | IAH | | | 20.59 | FWA | | Category 2 | 63 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 29 | | IAH | | | 20.59 | MIC | | Category 2 | 64 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 29 | | IAH | | | 20.59 | STT | | Category 2 | 65 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 29 | | IAH | | | 20.59 | ILG | | Category 2 | 66 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 29 | | IAH | | | 20.59 | MYR | | Category 2 | 67 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 2 | |
| 30 | 1 | CMH | | | 17.07 | ADW | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 30 | 1 | CMH | | | 17.07 | DSM | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 30 | | CMH | | | 17.07 | AZO | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 30 | | CMH | | | 17.07 | MLI | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 30 | | CMH | | | 17.07 | SPI | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 30 | | CMH | | | 17.07 | FXE | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 30 | | CMH | | | 17.07 | CPS | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 30 | | CMH | | | 17.07 | POC | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 30 | | CMH | | | 17.07 | YIP | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 30 | | CMH | | | 17.07 | AGC | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 30 | | CMH | | | 17.07 | MFD | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 31 | 1 | SFO | | | 33.33 | LVK | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |

| DL | R N D | Gaining Facility | Eligible To Select | | Gaining Facility TRG % | Losing Facility | Eligible To Lose | Losing Facility Category | MGR Rank | Manager Comments | Staffing Category | Last Name | First Name | Losing Facility Type | Losing Facility Level | PPM | C A P | Notes |
|----|-------------|---------------------|--------------------|----------------------|------------------------------|--------------------|------------------------|--------------------------------|-------------|------------------|----------------------|-----------|------------|-----------------------------|-----------------------------|------|-------------|-------|
| | | | NCEPT Target | Projected Nat Avg | | | | | | | | | | | | | | |
| 31 | | SFO | | | 33.33 | LIT | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 31 | | SFO | | | 33.33 | FXE | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 32 | | ORD | | | 26.76 | MKE | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 3 | |
| 32 | 1 | ORD | | | 26.76 | DPA | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 3 | |
| 32 | | ORD | | | 26.76 | MLI | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 32 | 1 | ORD | | | 26.76 | SJC | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 3 | |
| 32 | 1 | ORD | | | 26.76 | MDW | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 3 | |
| 32 | | ORD | | | 26.76 | FTW | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 3 | |
| 32 | | ORD | | | 26.76 | AFW | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 3 | |
| 32 | | ORD | | | 26.76 | AFW | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 3 | |
| 32 | | ORD | | | 26.76 | FXE | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 3 | |
| 32 | | ORD | | | 26.76 | DPA | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 3 | |
| 32 | | ORD | | | 26.76 | CMA | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 3 | |
| 32 | | ORD | | | 26.76 | SPI | | Category 2 | 12 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 32 | | ORD | | | 26.76 | SPI | | Category 2 | 13 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 32 | | ORD | | | 26.76 | FWA | | Category 2 | 14 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 32 | | ORD | | | 26.76 | LAF | | Category 2 | 15 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 3 | |
| 32 | | ORD | | | 26.76 | LAN | | Category 2 | 16 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 3 | |
| 32 | | ORD | | | 26.76 | DPA | | Category 2 | 17 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 3 | |
| 32 | | ORD | | | 26.76 | MLI | | Category 2 | 18 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 32 | | ORD | | | 26.76 | DPA | | Category 2 | 19 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 3 | |
| 32 | | ORD | | | 26.76 | FNT | | Category 2 | 20 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 3 | |
| 32 | | ORD | | | 26.76 | ARR | | Category 2 | 21 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 3 | |
| 33 | | MKE | | | 12.82 | SPI | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 33 | 2 | MKE | | | 12.82 | AFW | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 33 | | MKE | | | 12.82 | ELM | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 33 | | MKE | | | 12.82 | SPI | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 35 | | MSY | | | 20.00 | ELM | | Category 2 | 1 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 35 | | MSY | | | 20.00 | CSG | | Category 2 | 2 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 36 | 1 | L30 | | | 27.50 | MOB | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 2 | |
| 36 | 1 | L30 | | | 27.50 | AUS | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 9 | None | 2 | |
| 36 | | L30 | | | 27.50 | PIE | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 36 | | L30 | | | 27.50 | VGT | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 36 | | L30 | | | 27.50 | SEE | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 36 | | L30 | | | 27.50 | RFD | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 36 | | L30 | | | 27.50 | HCF | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Combined Control Facilities | 11 | None | 2 | |
| 36 | | L30 | | | 27.50 | GCN | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 36 | | L30 | | | 27.50 | CHS | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 2 | |
| 36 | | L30 | | | 27.50 | DSM | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 36 | | L30 | | | 27.50 | EVV | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 36 | | L30 | | | 27.50 | VGT | | Category 2 | 12 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 36 | | L30 | | | 27.50 | LOU | | Category 2 | 13 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 36 | | L30 | | | 27.50 | CMA | | Category 2 | 14 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 36 | | L30 | | | 27.50 | GSO | | Category 2 | 15 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 36 | | L30 | | | 27.50 | MSN | | Category 2 | 16 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |

| DL | R N D | Gaining Facility | Eligible To Select | | Gaining Facility TRG % | Losing Facility | Eligible To Lose | Losing Facility Category | MGR Rank | Manager Comments | Staffing Category | Last Name | First Name | Losing Facility Type | Losing Facility Level | PPM | C A P | Notes |
|----|-------------|---------------------|--------------------|----------------------|------------------------------|--------------------|------------------------|--------------------------------|-------------|------------------|----------------------|-----------|------------|----------------------------|-----------------------------|------|-------------|-------|
| | | | NCEPT Target | Projected Nat Avg | | | | | | | | | | | | | | |
| 36 | | L30 | | | 27.50 | FWA | | Category 2 | 17 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 36 | | L30 | | | 27.50 | GCN | | Category 2 | 18 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 36 | | L30 | | | 27.50 | SPI | | Category 2 | 19 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 36 | | L30 | | | 27.50 | ELM | | Category 2 | 20 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 36 | | L30 | | | 27.50 | LOU | | Category 2 | 21 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 36 | | L30 | | | 27.50 | VGT | | Category 2 | 22 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 36 | | L30 | | | 27.50 | VGT | | Category 2 | 23 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 36 | | L30 | | | 27.50 | ELM | | Category 2 | 24 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 36 | | L30 | | | 27.50 | GCN | | Category 2 | 25 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 36 | | L30 | | | 27.50 | SPI | | Category 2 | 26 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 36 | | L30 | | | 27.50 | SPI | | Category 2 | 27 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 36 | | L30 | | | 27.50 | CID | | Category 2 | 28 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 37 | 1 | ORF | | | 27.59 | RFD | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 37 | 1 | ORF | | | 27.59 | ADW | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 37 | | ORF | | | 27.59 | SPI | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 38 | 1 | F11 | | | 22.92 | CRP | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 9 | None | 2 | |
| 38 | | F11 | | | 22.92 | SFB | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower | 9 | None | 2 | |
| 38 | | F11 | | | 22.92 | MKE | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 2 | |
| 38 | | F11 | | | 22.92 | ZKC | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 2 | |
| 38 | | F11 | | | 22.92 | GSO | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 38 | | F11 | | | 22.92 | LIT | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 38 | | F11 | | | 22.92 | CHS | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 2 | |
| 38 | | F11 | | | 22.92 | CLE | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 2 | |
| 38 | | F11 | | | 22.92 | ACT | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 38 | | F11 | | | 22.92 | AMA | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 38 | | F11 | | | 22.92 | ORL | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 38 | | F11 | | | 22.92 | ELM | | Category 2 | 12 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 38 | | F11 | | | 22.92 | SRQ | | Category 2 | 13 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 38 | | F11 | | | 22.92 | CMA | | Category 2 | 14 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 38 | | F11 | | | 22.92 | ISP | | Category 2 | 15 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 38 | | F11 | | | 22.92 | ORL | | Category 2 | 16 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 38 | | F11 | | | 22.92 | EVV | | Category 2 | 17 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 38 | | F11 | | | 22.92 | FLO | | Category 2 | 18 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 38 | | F11 | | | 22.92 | FLO | | Category 2 | 19 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 38 | | F11 | | | 22.92 | ELM | | Category 2 | 20 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 38 | | F11 | | | 22.92 | HTS | | Category 2 | 21 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 38 | | F11 | | | 22.92 | ADW | | Category 2 | 22 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 38 | | F11 | | | 22.92 | STT | | Category 2 | 23 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 38 | | F11 | | | 22.92 | LAN | | Category 2 | 24 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 40 | 1 | SDF | | | 20.83 | PDX | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 2 | |
| 40 | | SDF | | | 20.83 | MLI | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 40 | | SDF | | | 20.83 | EVV | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 40 | | SDF | | | 20.83 | EVV | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 40 | | SDF | | | 20.83 | ARR | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 40 | | SDF | | | 20.83 | LAN | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |

| DL | R N D | Gaining Facility | Eligible To Select | | Gaining Facility TRG % | Losing Facility | Eligible To Lose | Losing Facility Category | MGR Rank | Manager Comments | Staffing Category | Last Name | First Name | Losing Facility Type | Losing Facility Level | PPM | C A P | Notes |
|----|-------------|---------------------|--------------------|----------------------|------------------------------|--------------------|------------------------|--------------------------------|-------------|------------------|----------------------|-----------|------------|----------------------------|-----------------------------|------|-------------|-------|
| | | | NCEPT Target | Projected Nat Avg | | | | | | | | | | | | | | |
| 40 | | SDF | | | 20.83 | ARR | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 40 | | SDF | | | 20.83 | SPI | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 40 | | SDF | | | 20.83 | CNO | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 41 | 1 | DAB | | | 21.31 | GSO | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 3 | |
| 41 | 1 | DAB | | | 21.31 | SRQ | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 3 | |
| 41 | 1 | DAB | | | 21.31 | PRC | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 3 | |
| 41 | | DAB | | | 21.31 | ORL | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 3 | |
| 41 | | DAB | | | 21.31 | MLI | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 41 | | DAB | | | 21.31 | MKG | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 3 | |
| 41 | | DAB | | | 21.31 | ROA | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 41 | | DAB | | | 21.31 | RNO | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 3 | |
| 41 | | DAB | | | 21.31 | SPI | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 41 | | DAB | | | 21.31 | ZMP | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 3 | |
| 41 | | DAB | | | 21.31 | ISP | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 3 | |
| 41 | | DAB | | | 21.31 | TWF | | Category 2 | 12 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 41 | | DAB | | | 21.31 | OMA | | Category 2 | 13 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 3 | |
| 41 | | DAB | | | 21.31 | PHF | | Category 2 | 14 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 3 | |
| 41 | | DAB | | | 21.31 | LAN | | Category 2 | 15 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 3 | |
| 42 | 1 | ICT | | | 27.27 | MKC | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 42 | 1 | ICT | | | 27.27 | GSO | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 42 | | ICT | | | 27.27 | ABE | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 42 | | ICT | | | 27.27 | BPT | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 43 | 1 | TEB | | | 33.33 | SJC | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 43 | 1 | TEB | | | 33.33 | CDW | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 43 | | TEB | | | 33.33 | ZLC | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 10 | None | 2 | |
| 43 | | TEB | | | 33.33 | PWK | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 43 | | TEB | | | 33.33 | POU | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 43 | | TEB | | | 33.33 | ILG | | Category 2 | 6 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 43 | | TEB | | | 33.33 | MMU | | Category 2 | 7 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 43 | | TEB | | | 33.33 | OMA | | Category 2 | 8 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 43 | | TEB | | | 33.33 | MMU | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 44 | 2 | MSN | | | 14.29 | GRB | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 44 | | MSN | | | 14.29 | SPI | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 48 | | ZTL | | | 26.53 | DSM | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 6 | |
| 48 | 1 | ZTL | | | 26.53 | ZKC | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 6 | |
| 48 | 1 | ZTL | | | 26.53 | ZLC | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 10 | None | 6 | |
| 48 | | ZTL | | | 26.53 | ZLC | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 10 | None | 6 | |
| 48 | | ZTL | | | 26.53 | CHS | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 6 | |
| 48 | | ZTL | | | 26.53 | CAK | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 6 | |
| 48 | | ZTL | | | 26.53 | CMA | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 6 | |
| 48 | | ZTL | | | 26.53 | EVV | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 6 | |
| 48 | | ZTL | | | 26.53 | EVV | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 6 | |
| 48 | | ZTL | | | 26.53 | ADW | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 6 | |
| 48 | | ZTL | | | 26.53 | MKG | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 6 | |
| 48 | | ZTL | | | 26.53 | MKE | | Category 2 | 12 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 6 | |

| DL | R N D | Gaining Facility | Eligible To Select | | Gaining Facility TRG % | Losing Facility | Eligible To Lose | Losing Facility Category | MGR Rank | Manager Comments | Staffing Category | Last Name | First Name | Losing Facility Type | Losing Facility Level | PPM | C A P | Notes |
|----|-------------|---------------------|--------------------|----------------------|------------------------------|--------------------|------------------------|--------------------------------|-------------|--------------------------|----------------------|-----------|------------|----------------------------|-----------------------------|------|-------------|-------|
| | | | NCEPT Target | Projected Nat Avg | | | | | | | | | | | | | | |
| 48 | | ZTL | | | 26.53 | EVV | | Category 2 | 13 | Insufficient experience. | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 6 | |
| 48 | | ZTL | | | 26.53 | LOU | | Category 2 | 14 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 6 | |
| 48 | | ZTL | | | 26.53 | CID | | Category 2 | 15 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 6 | |
| 48 | | ZTL | | | 26.53 | STT | | Category 2 | 16 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 6 | |
| 48 | | ZTL | | | 26.53 | LAN | | Category 2 | 17 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 6 | |
| 48 | | ZTL | | | 26.53 | MOB | | Category 2 | 18 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 6 | |
| 48 | | ZTL | | | 26.53 | MBS | | Category 2 | 19 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 6 | |
| 48 | | ZTL | | | 26.53 | ELM | | Category 2 | 20 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 6 | |
| 48 | | ZTL | | | 26.53 | OMA | | Category 2 | 21 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 6 | |
| 49 | 1 | FFZ | | | 14.29 | DVT | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 9 | None | 2 | |
| 49 | | FFZ | | | 14.29 | SPI | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 49 | | FFZ | | | 14.29 | LNK | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 49 | | FFZ | | | 14.29 | FRG | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 49 | | FFZ | | | 14.29 | VGT | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 49 | | FFZ | | | 14.29 | DVT | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower | 9 | None | 2 | |
| 49 | | FFZ | | | 14.29 | LOU | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 49 | | FFZ | | | 14.29 | FWA | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 49 | | FFZ | | | 14.29 | ELM | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 49 | | FFZ | | | 14.29 | CSG | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 50 | 1 | ZFW | | | 21.52 | ZMP | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 5 | |
| 50 | | ZFW | | | 21.52 | AMA | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 5 | |
| 50 | | ZFW | | | 21.52 | FTW | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 5 | |
| 50 | | ZFW | | | 21.52 | AMA | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 5 | |
| 50 | | ZFW | | | 21.52 | AMA | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 5 | |
| 50 | | ZFW | | | 21.52 | AMA | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 5 | |
| 50 | | ZFW | | | 21.52 | CRP | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 9 | None | 5 | |
| 50 | | ZFW | | | 21.52 | ZHU | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 5 | |
| 50 | | ZFW | | | 21.52 | R90 | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Approach Control | 8 | None | 5 | |
| 50 | | ZFW | | | 21.52 | ACT | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 5 | |
| 50 | | ZFW | | | 21.52 | CHS | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 5 | |
| 50 | | ZFW | | | 21.52 | BPT | | Category 2 | 12 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 5 | |
| 50 | | ZFW | | | 21.52 | ZHU | | Category 2 | 13 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 5 | |
| 50 | | ZFW | | | 21.52 | ZKC | | Category 2 | 14 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 5 | |
| 50 | | ZFW | | | 21.52 | ZKC | | Category 2 | 15 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 5 | |
| 50 | | ZFW | | | 21.52 | ZKC | | Category 2 | 16 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 5 | |
| 50 | | ZFW | | | 21.52 | ZKC | | Category 2 | 17 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 5 | |
| 50 | | ZFW | | | 21.52 | AUS | | Category 2 | 18 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 9 | None | 5 | |
| 50 | | ZFW | | | 21.52 | LBB | | Category 2 | 19 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 5 | |
| 50 | | ZFW | | | 21.52 | DAL | | Category 2 | 20 | | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 5 | |
| 50 | | ZFW | | | 21.52 | DAL | | Category 2 | 21 | | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 5 | |
| 50 | | ZFW | | | 21.52 | AFW | | Category 2 | 22 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 5 | |
| 50 | | ZFW | | | 21.52 | AFW | | Category 2 | 23 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 5 | |
| 50 | | ZFW | | | 21.52 | AFW | | Category 2 | 24 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 5 | |
| 50 | | ZFW | | | 21.52 | GSO | | Category 2 | 25 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 5 | |
| 50 | | ZFW | | | 21.52 | ACT | | Category 2 | 26 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 5 | |

| DL | R N D | Gaining Facility | Eligible To Select | | Gaining Facility TRG % | Losing Facility | Eligible To Lose | Losing Facility Category | MGR Rank | Manager Comments | Staffing Category | Last Name | First Name | Losing Facility Type | Losing Facility Level | PPM | C A P | Notes |
|----|-------------|---------------------|--------------------|----------------------|------------------------------|--------------------|------------------------|--------------------------------|-------------|------------------|----------------------|-----------|------------|----------------------------|-----------------------------|------|-------------|-------|
| | | | NCEPT Target | Projected Nat Avg | | | | | | | | | | | | | | |
| 50 | | ZFW | | | 21.52 | ACT | | Category 2 | 27 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 5 | |
| 50 | | ZFW | | | 21.52 | PCT | | Category 2 | 28 | | CPC | (b) (6) | (b) (6) | Approach Control | 12 | None | 5 | |
| 50 | | ZFW | | | 21.52 | AZO | | Category 2 | 29 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 5 | |
| 50 | | ZFW | | | 21.52 | BTW | | Category 2 | 30 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 5 | |
| 50 | | ZFW | | | 21.52 | LAN | | Category 2 | 31 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 5 | |
| 50 | | ZFW | | | 21.52 | FTW | | Category 2 | 32 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 5 | |
| 50 | | ZFW | | | 21.52 | ADS | | Category 2 | 33 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 5 | |
| 50 | | ZFW | | | 21.52 | MKE | | Category 2 | 34 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 5 | |
| 50 | | ZFW | | | 21.52 | EUG | | Category 2 | 35 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 5 | |
| 50 | | ZFW | | | 21.52 | CMA | | Category 2 | 36 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 5 | |
| 50 | | ZFW | | | 21.52 | DSM | | Category 2 | 37 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 5 | |
| 50 | | ZFW | | | 21.52 | EVV | | Category 2 | 38 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 50 | | ZFW | | | 21.52 | CID | | Category 2 | 39 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 50 | | ZFW | | | 21.52 | ELM | | Category 2 | 40 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 50 | | ZFW | | | 21.52 | ELM | | Category 2 | 41 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 50 | | ZFW | | | 21.52 | ELM | | Category 2 | 42 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 50 | | ZFW | | | 21.52 | AFW | | Category 2 | 43 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 5 | |
| 50 | | ZFW | | | 21.52 | AMA | | Category 2 | 44 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 5 | |
| 50 | | ZFW | | | 21.52 | ELM | | Category 2 | 45 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 52 | 1 | ZOB | | | 25.82 | TOL | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 6 | |
| 52 | 1 | ZOB | | | 25.82 | CLE | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 6 | |
| 52 | | ZOB | | | 25.82 | CLE | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 6 | |
| 52 | | ZOB | | | 25.82 | SPI | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 6 | |
| 52 | | ZOB | | | 25.82 | ELM | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 6 | |
| 52 | | ZOB | | | 25.82 | CHS | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 6 | |
| 52 | | ZOB | | | 25.82 | CAK | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 6 | |
| 52 | | ZOB | | | 25.82 | TOL | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 6 | |
| 52 | | ZOB | | | 25.82 | ADW | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 6 | |
| 52 | | ZOB | | | 25.82 | TOL | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 6 | |
| 52 | | ZOB | | | 25.82 | AZO | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 6 | |
| 52 | | ZOB | | | 25.82 | AZO | | Category 2 | 12 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 6 | |
| 52 | | ZOB | | | 25.82 | DSM | | Category 2 | 13 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 6 | |
| 52 | | ZOB | | | 25.82 | CDW | | Category 2 | 14 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 6 | |
| 52 | | ZOB | | | 25.82 | FWA | | Category 2 | 15 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 6 | |
| 52 | | ZOB | | | 25.82 | ERI | | Category 2 | 16 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 6 | |
| 52 | | ZOB | | | 25.82 | MLI | | Category 2 | 17 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 6 | |
| 52 | | ZOB | | | 25.82 | AVL | | Category 2 | 18 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 6 | |
| 52 | | ZOB | | | 25.82 | CMA | | Category 2 | 19 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 6 | |
| 52 | | ZOB | | | 25.82 | LOU | | Category 2 | 20 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 6 | |
| 52 | | ZOB | | | 25.82 | ZHU | | Category 2 | 21 | | DEV2 | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 6 | |
| 55 | 1 | ZMA | | | 22.38 | ZKC | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 5 | |
| 55 | 1 | ZMA | | | 22.38 | FXE | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 5 | |
| 55 | | ZMA | | | 22.38 | FXE | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 5 | |
| 55 | | ZMA | | | 22.38 | ELM | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 55 | | ZMA | | | 22.38 | CDW | | Category 2 | 6 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 5 | |

| DL | R N D | Gaining Facility | Eligible To Select | | Gaining Facility TRG % | Losing Facility | Eligible To Lose | Losing Facility Category | MGR Rank | Manager Comments | Staffing Category | Last Name | First Name | Losing Facility Type | Losing Facility Level | PPM | C A P | Notes |
|----|-------------|---------------------|--------------------|----------------------|------------------------------|--------------------|------------------------|--------------------------------|-------------|------------------|----------------------|-----------|------------|----------------------------|-----------------------------|------|-------------|-------|
| | | | NCEPT Target | Projected Nat Avg | | | | | | | | | | | | | | |
| 55 | | ZMA | | | 22.38 | HTS | | Category 2 | 7 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 55 | | ZMA | | | 22.38 | CMA | | Category 2 | 8 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 5 | |
| 55 | | ZMA | | | 22.38 | SPI | | Category 2 | 9 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 55 | | ZMA | | | 22.38 | FXE | | Category 2 | 10 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 5 | |
| 55 | | ZMA | | | 22.38 | ERI | | Category 2 | 11 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 5 | |
| 57 | 1 | SAT | | | 22.92 | AZO | | Category 2 | 1 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 57 | | SAT | | | 22.92 | FLO | | Category 2 | 2 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 57 | | SAT | | | 22.92 | ISP | | Category 2 | 3 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 57 | | SAT | | | 22.92 | ELM | | Category 2 | 4 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 57 | | SAT | | | 22.92 | DWH | | Category 2 | 5 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 57 | | SAT | | | 22.92 | ELM | | Category 2 | 6 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 57 | | SAT | | | 22.92 | FWA | | Category 2 | 7 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 57 | | SAT | | | 22.92 | TOA | | Category 2 | 8 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 57 | | SAT | | | 22.92 | SEE | | Category 2 | 9 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 57 | | SAT | | | 22.92 | BPT | | Category 2 | 10 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 57 | | SAT | | | 22.92 | CDW | | Category 2 | 11 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 57 | | SAT | | | 22.92 | YIP | | Category 2 | 12 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 60 | 1 | D10 | | | 31.73 | AUS | | Category 2 | 1 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 9 | None | 3 | |
| 60 | 1 | D10 | | | 31.73 | BTW | | Category 2 | 2 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 60 | | D10 | | | 31.73 | PCT | | Category 2 | 3 | (b) (5) | CPC | (b) (6) | (b) (6) | Approach Control | 12 | None | 3 | |
| 60 | | D10 | | | 31.73 | AFW | | Category 2 | 4 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 3 | |
| 60 | | D10 | | | 31.73 | ACT | | Category 2 | 5 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 60 | | D10 | | | 31.73 | LBB | | Category 2 | 6 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 3 | |
| 60 | | D10 | | | 31.73 | GSO | | Category 2 | 7 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 3 | |
| 60 | | D10 | | | 31.73 | ACT | | Category 2 | 8 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 60 | | D10 | | | 31.73 | LBB | | Category 2 | 9 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 3 | |
| 60 | | D10 | | | 31.73 | CHS | | Category 2 | 10 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 3 | |
| 60 | | D10 | | | 31.73 | EUG | | Category 2 | 11 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 60 | | D10 | | | 31.73 | CRP | | Category 2 | 12 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 9 | None | 3 | |
| 60 | | D10 | | | 31.73 | MKE | | Category 2 | 13 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 3 | |
| 60 | | D10 | | | 31.73 | EUG | | Category 2 | 14 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 60 | | D10 | | | 31.73 | AUS | | Category 2 | 15 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 9 | None | 3 | |
| 60 | | D10 | | | 31.73 | ELM | | Category 2 | 16 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 60 | | D10 | | | 31.73 | FXE | | Category 2 | 17 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 3 | |
| 60 | | D10 | | | 31.73 | ELM | | Category 2 | 18 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 60 | | D10 | | | 31.73 | ADS | | Category 2 | 19 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 3 | |
| 60 | | D10 | | | 31.73 | ACT | | Category 2 | 20 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 60 | | D10 | | | 31.73 | MCI | | Category 2 | 21 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 3 | |
| 60 | | D10 | | | 31.73 | AMA | | Category 2 | 22 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 3 | |
| 62 | 1 | PHL | | | 26.25 | PCT | | Category 2 | 1 | (b) (5) | CPC | (b) (6) | (b) (6) | Approach Control | 12 | None | 3 | |
| 62 | 1 | PHL | | | 26.25 | ZLC | | Category 2 | 2 | (b) (5) | CPC | (b) (6) | (b) (6) | Enroute Centers | 10 | None | 3 | |
| 62 | | PHL | | | 26.25 | ADW | | Category 2 | 3 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 3 | |
| 62 | 1 | PHL | | | 26.25 | BWI | | Category 2 | 4 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 3 | |
| 62 | | PHL | | | 26.25 | ELM | | Category 2 | 5 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 62 | | PHL | | | 26.25 | DAL | | Category 2 | 7 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 3 | |

| DL | R N D | Gaining Facility | Eligible To Select | | Gaining Facility TRG % | Losing Facility | Eligible To Lose | Losing Facility Category | MGR Rank | Manager Comments | Staffing Category | Last Name | First Name | Losing Facility Type | Losing Facility Level | PPM | C A P | Notes |
|----|-------------|---------------------|--------------------|----------------------|------------------------------|--------------------|------------------------|--------------------------------|-------------|------------------|----------------------|-----------|------------|-----------------------------|-----------------------------|------|-------------|-------|
| | | | NCEPT Target | Projected Nat Avg | | | | | | | | | | | | | | |
| 62 | | PHL | | | 26.25 | PSP | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 3 | |
| 62 | | PHL | | | 26.25 | ILG | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 3 | |
| 63 | | ZLA | | | 24.15 | ZKC | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 5 | |
| 63 | | ZLA | | | 24.15 | GSO | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 5 | |
| 63 | 1 | ZLA | | | 24.15 | CMA | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 5 | |
| 63 | 1 | ZLA | | | 24.15 | FXE | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 5 | |
| 63 | | ZLA | | | 24.15 | HWD | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 5 | |
| 63 | | ZLA | | | 24.15 | ELM | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 63 | | ZLA | | | 24.15 | HCF | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Combined Control Facilities | 11 | None | 5 | |
| 64 | 1 | SNA | | | 30.43 | CMA | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 64 | | SNA | | | 30.43 | MSN | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 64 | | SNA | | | 30.43 | POC | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 64 | | SNA | | | 30.43 | SCK | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 64 | | SNA | | | 30.43 | HWD | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 64 | | SNA | | | 30.43 | FRG | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 64 | | SNA | | | 30.43 | ZLC | | Category 2 | 7 | (b) (5) | CPC | (b) (6) | (b) (6) | Enroute Centers | 10 | None | 2 | |
| 64 | | SNA | | | 30.43 | AFW | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 64 | | SNA | | | 30.43 | ELM | | Category 2 | 9 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 64 | | SNA | | | 30.43 | STT | | Category 2 | 10 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 64 | | SNA | | | 30.43 | EUG | | Category 2 | 11 | (b) (5) | DEV2 | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 65 | | JFK | | | 28.95 | ELM | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 65 | 1 | JFK | | | 28.95 | ISP | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 65 | | JFK | | | 28.95 | OMA | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 65 | | JFK | | | 28.95 | BDL | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 65 | | JFK | | | 28.95 | SJC | | Category 2 | 5 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 2 | |
| 65 | | JFK | | | 28.95 | ILG | | Category 2 | 6 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 67 | 1 | SAV | | | 28.00 | ZMP | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 2 | |
| 67 | 1 | SAV | | | 28.00 | AMA | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 2 | |
| 67 | | SAV | | | 28.00 | AFW | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 67 | | SAV | | | 28.00 | EVV | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 67 | | SAV | | | 28.00 | MBS | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 67 | | SAV | | | 28.00 | MLI | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 67 | | SAV | | | 28.00 | TWF | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 67 | | SAV | | | 28.00 | MKG | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 67 | | SAV | | | 28.00 | ELM | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 67 | | SAV | | | 28.00 | LAN | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 67 | | SAV | | | 28.00 | LAN | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 68 | 1 | OAK | | | 20.00 | HWD | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 68 | | OAK | | | 20.00 | HWD | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 68 | | OAK | | | 20.00 | MRY | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 68 | | OAK | | | 20.00 | LVK | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 68 | | OAK | | | 20.00 | HWD | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 68 | | OAK | | | 20.00 | LVK | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 68 | | OAK | | | 20.00 | LVK | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 68 | | OAK | | | 20.00 | HUF | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |

| DL | R N D | Gaining Facility | Eligible To Select | | Gaining Facility TRG % | Losing Facility | Eligible To Lose | Losing Facility Category | MGR Rank | Manager Comments | Staffing Category | Last Name | First Name | Losing Facility Type | Losing Facility Level | PPM | C A P | Notes |
|----|-------------|---------------------|--------------------|----------------------|------------------------------|--------------------|------------------------|--------------------------------|-------------|------------------|----------------------|-----------|------------|-----------------------------|-----------------------------|------|-------------|-------|
| | | | NCEPT Target | Projected Nat Avg | | | | | | | | | | | | | | |
| 69 | 1 | ZID | | | 30.56 | ZMP | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 5 | |
| 69 | 1 | ZID | | | 30.56 | EVV | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 69 | | ZID | | | 30.56 | ADW | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 5 | |
| 69 | | ZID | | | 30.56 | SPI | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 69 | | ZID | | | 30.56 | HUF | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 69 | | ZID | | | 30.56 | FWA | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 69 | | ZID | | | 30.56 | MKG | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 5 | |
| 69 | | ZID | | | 30.56 | HUF | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 69 | | ZID | | | 30.56 | OMA | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 5 | |
| 69 | | ZID | | | 30.56 | EVV | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 69 | | ZID | | | 30.56 | EVV | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 69 | | ZID | | | 30.56 | CHS | | Category 2 | 12 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 5 | |
| 69 | | ZID | | | 30.56 | EVV | | Category 2 | 13 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 69 | | ZID | | | 30.56 | LOU | | Category 2 | 14 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 5 | |
| 69 | | ZID | | | 30.56 | MLI | | Category 2 | 15 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 69 | | ZID | | | 30.56 | ZJX | | Category 2 | 16 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 5 | |
| 69 | | ZID | | | 30.56 | ELM | | Category 2 | 17 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 69 | | ZID | | | 30.56 | FWA | | Category 2 | 18 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 69 | | ZID | | | 30.56 | LOU | | Category 2 | 19 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 5 | |
| 69 | | ZID | | | 30.56 | CMA | | Category 2 | 20 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 5 | |
| 69 | | ZID | | | 30.56 | FWA | | Category 2 | 21 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 69 | | ZID | | | 30.56 | CDW | | Category 2 | 22 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 5 | |
| 72 | 2 | ZMP | | | 22.58 | CNO | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 5 | |
| 72 | | ZMP | | | 22.58 | SPI | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 72 | | ZMP | | | 22.58 | STP | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 5 | |
| 75 | | M98 | | | 25.81 | MKE | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 8 | None | 3 | |
| 75 | 1 | M98 | | | 25.81 | MSN | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 3 | |
| 75 | 1 | M98 | | | 25.81 | STP | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 3 | |
| 75 | | M98 | | | 25.81 | SPI | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 75 | | M98 | | | 25.81 | DSM | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 3 | |
| 75 | | M98 | | | 25.81 | SPI | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 75 | | M98 | | | 25.81 | SPI | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 75 | | M98 | | | 25.81 | SJC | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 3 | |
| 75 | | M98 | | | 25.81 | MSN | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 3 | |
| 75 | | M98 | | | 25.81 | CNO | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 3 | |
| 76 | 1 | ZDC | | | 26.38 | ZLC | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 10 | None | 6 | |
| 76 | 1 | ZDC | | | 26.38 | ZLC | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 10 | None | 6 | |
| 76 | | ZDC | | | 26.38 | PHF | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 6 | |
| 76 | | ZDC | | | 26.38 | MFD | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 6 | |
| 76 | | ZDC | | | 26.38 | ADW | | Category 2 | 5 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 6 | |
| 80 | 1 | ZME | | | 30.07 | HCF | | Category 2 | 1 | | TMC | (b) (6) | (b) (6) | Combined Control Facilities | 11 | None | 5 | |
| 80 | 1 | ZME | | | 30.07 | FTW | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 5 | |
| 80 | | ZME | | | 30.07 | CMA | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 5 | |
| 80 | | ZME | | | 30.07 | OMA | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 5 | |
| 80 | | ZME | | | 30.07 | EVV | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |

| DL | R N D | Gaining Facility | Eligible To Select | | Gaining Facility TRG % | Losing Facility | Eligible To Lose | Losing Facility Category | MGR Rank | Manager Comments | Staffing Category | Last Name | First Name | Losing Facility Type | Losing Facility Level | PPM | C A P | Notes |
|-----|-------------|---------------------|--------------------|----------------------|------------------------------|--------------------|------------------------|--------------------------------|-------------|------------------|----------------------|-----------|------------|----------------------------|-----------------------------|------|-------------|-------|
| | | | NCEPT Target | Projected Nat Avg | | | | | | | | | | | | | | |
| 80 | | ZME | | | 30.07 | EVV | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 80 | | ZME | | | 30.07 | CID | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 80 | | ZME | | | 30.07 | SCK | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 5 | |
| 80 | | ZME | | | 30.07 | ELM | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 80 | | ZME | | | 30.07 | ELM | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 5 | |
| 80 | | ZME | | | 30.07 | MKG | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 5 | |
| 97 | 2 | CHS | | | 16.00 | TWF | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 98 | | HCF | | | 20.22 | SPI | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 3 | |
| 99 | 1 | ZSE | | | 25.70 | ZMP | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 4 | |
| 99 | 1 | ZSE | | | 25.70 | ZKC | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 4 | |
| 99 | | ZSE | | | 25.70 | PAE | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 4 | |
| 99 | | ZSE | | | 25.70 | ZLC | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 10 | None | 4 | |
| 99 | | ZSE | | | 25.70 | ZLC | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 10 | None | 4 | |
| 99 | | ZSE | | | 25.70 | ZHU | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Enroute Centers | 11 | None | 4 | |
| 99 | | ZSE | | | 25.70 | OGG | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 4 | |
| 99 | | ZSE | | | 25.70 | BFI | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 4 | |
| 99 | | ZSE | | | 25.70 | BFI | | Category 2 | 9 | | CPC | (b) (6) | (b) (6) | Tower | 7 | None | 4 | |
| 99 | | ZSE | | | 25.70 | RFD | | Category 2 | 10 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 4 | |
| 99 | | ZSE | | | 25.70 | ARR | | Category 2 | 11 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 4 | |
| 99 | | ZSE | | | 25.70 | ELM | | Category 2 | 12 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 4 | |
| 99 | | ZSE | | | 25.70 | SCK | | Category 2 | 13 | (b) (5) | DEV3 | (b) (6) | (b) (6) | Tower | 5 | None | 4 | |
| 99 | | ZSE | | | 25.70 | ZLC | | Category 2 | 14 | (b) (5) | CPC | (b) (6) | (b) (6) | Enroute Centers | 10 | None | 4 | |
| 99 | | ZSE | | | 25.70 | PSC | | Category 2 | 15 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 6 | None | 4 | |
| 105 | | EWR | | | 28.21 | MMU | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 105 | | EWR | | | 28.21 | CDW | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 105 | | EWR | | | 28.21 | ADW | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 105 | | EWR | | | 28.21 | OMA | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower | 6 | None | 2 | |
| 105 | | EWR | | | 28.21 | ELM | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 105 | | EWR | | | 28.21 | ILG | | Category 2 | 6 | (b) (5) | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 109 | | MOB | | | 23.81 | ELM | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 109 | | MOB | | | 23.81 | SPI | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 109 | | MOB | | | 23.81 | ELM | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 123 | | BFL | | | 21.74 | MSN | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 7 | None | 2 | |
| 140 | | CVG | | | 29.79 | ADW | | Category 2 | 1 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 140 | | CVG | | | 29.79 | HUF | | Category 2 | 2 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 140 | | CVG | | | 29.79 | POC | | Category 2 | 3 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |
| 140 | | CVG | | | 29.79 | EVV | | Category 2 | 4 | | CPC | (b) (6) | (b) (6) | Tower and Approach Control | 5 | None | 2 | |
| 140 | | CVG | | | 29.79 | PDX | | Category 2 | 5 | | CPC | (b) (6) | (b) (6) | Tower | 8 | None | 2 | |
| 140 | | CVG | | | 29.79 | LAN | | Category 2 | 6 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 140 | | CVG | | | 29.79 | LAN | | Category 2 | 7 | | CPC | (b) (6) | (b) (6) | Tower | 4 | None | 2 | |
| 140 | | CVG | | | 29.79 | ARR | | Category 2 | 8 | | CPC | (b) (6) | (b) (6) | Tower | 5 | None | 2 | |